




CATALOG





Quality paints for exterior and interior protection and decoration, since 1845

Decorative Paints & Coatings

Mathys® is one of Europe's foremost professional trade paint brands, with a comprehensive collection of high-performance paints and coatings for the protection, renovation and decoration of walls, ceilings, roofs and floors.

At the forefront of paint technology, Mathys® provides the very best in product quality and performance. Working hand in hand with customers and R&D teams throughout Europe ensures that all products meet the needs of professional decorators and specifiers. The wide and varied product range offers a one-stop shop, with everything from waterproofing coatings to decorative custom-tinted finishes, with solutions for every indoor and outdoor surface.

Advisors can give guidance on any project, from priming to finishing touches. So professional decorators can rest assured Mathys® is with them every step of the way.

Mathys® is committed to manufacturing sustainable products, always making sure the environment is a key consideration throughout any process, from manufacture to end use.

Range of decorative paints

CONTENT

Our new product catalog is an overview of the entire assortment of decorative products. Not all listed items are available in all countries.

Preface Mathys®.....	3
Pictograms	5
Interior Walls & Ceilings	6
Preparation	12
Primers.....	14
Finishing.....	16
Exterior Walls	24
Preparation	26
Primers	28
Waterproofing Systems	30
Decorative finish	32
Anti-Graffiti	35
Wood.....	36
Preparation	42
Primers	44
Opaque wood finish Lacquers	48
Opaque wood finish Stains.....	53
Transparent wood finish Stains	54
Transparent wood finish Varnishes.....	56
Metals - Roofs - Floors.....	58
Primers	58
Decorative finish	60
Colour	62
Alphabetic product list.....	63



THE RIGHT PRODUCT FOR EVERY SURFACE!

Modern, effective solutions for the protection, renovation and decoration of façades, interior and exterior walls, wood, floors and roofs.

PICTOGRAMS

- Inside, outside, or Inside & outside
- Water based
- Solvent based
- Usage l·kg/m²
- Drying time
- Paintable after
- Application
- Recommended temperature



Directive Grenelle (France)
Indoor emissions.
In addition to the European VOC directive, the French legislation on the reduction of indoor air emissions requires the labelling of paint products with an indication of their emissions of volatile substances. There are four classes (A+, A, B, C), Class A+ gives the lowest emissions.



All bases that can be tinted are indicated with the ColourShop® logo.

Protection - Renovation - Decoration

INTERIOR WALLS & CEILINGS

Mathys® has long been offering a complete range of professional interior paints, adapted to every type of application or substrate.

The perfect finish for beautiful results

Whether you're after a contemporary, stylishly classical or sleek modern interior, Mathys® always has the right products available. Professional products that ensure a perfect finish for all interior walls and ceilings. The combination of good substrate preparation and the right finish always ensures the best results!

Mathys® works for better health and a better environment!

By choosing Corporate Social Responsibility, you choose a harmonious combination of the 3 P's: People, Planet and Profit. This helps business activities to contribute to a sustainable society. This also involves choosing products and services with the lowest possible negative impact on people, the environment and society, in short approved by nature.



PREPARATION

ELASTOFILL®	12
ELASTOPRO	13
MUR-FILLER	13
PEGAFLEX®	13
MULTI CLEANER	13

PRIMERS

PARACEM® DECO PRIMER	14
PEGAFIX UNIVERSAL	15
PORISOL®	15
CACHEMIRE SABLE PRIMER	15
CACHEMIRE BETON PRIMER	15

FINISHING

PARACEM® DECO PLAFOND	16
PARACEM® DECO MATT	17
PARACEM® DECO SEMI-MATT	17
PARACEM® DECO SATIN	17
PARACEM® DECO ULTRA CLEAN XTRA MATT	17
PARACEM® DECO ULTRA CLEAN MATT	18
PEGATEX®	18
FAIRTEX®	18
PEGAMAT® AQUA ISOLE	18
PEGAMAT® RL ISOLE	19
FAIR-DECOR	19
DIVALO	19
DURBOCEM®	19
CACHEMIRE SABLE BASE	20
CACHEMIRE SABLE FINISH	20
CACHEMIRE BETON BASE	20
CACHEMIRE BETON FINISH	20
CACHEMIRE METALLIC	21
CACHEMIRE METALLIC FINISH	21
PEGAMAT® RL ISOLE AE	22
BRUSH CLEANER	23

*This product catalog is an overview of the entire assortment of decorative products.
Not all listed items are available in all countries.*

A GOOD START IS HALF THE WORK!

You get the nicest finish through proper pre-treatment of the substrate.

It is important for damaged, irregular substrates to be cleaned and repaired, or for highly porous walls and ceilings to be coated with the appropriate primers. Only then should the finishing coat be applied.

Step 1 : Preparation

Step 2 : Choosing the right product



PREPARATION

The preparation depends on the type and condition of the substrate. A thorough analysis is thus important for correct treatment of the walls and ceilings.

UNTREATED WALLS AND CEILINGS

- Free the plasterwork of dust (by dusting or brushing). We advise against using water because water causes powdering of the substrate. If powdering or nitrates are still present, the surface needs to be fixed with a fixative.
- Get rid of crevices and imperfections by using a filler, and seal small cracks and joints.
- Isolate nicotine or water stains to prevent the spots bleeding through into the final finish.

PAINTED WALLS AND CEILINGS

- Paint straight over old, porous paint layers in good condition. Soiled non-porous substrates are best washed gently; the wall must then be left sufficiently long to dry out.
- Lightly sand off old paint layers in poor condition, dust them off and then use a primer.
- After cleaning and repair, we recommend using a primer. This makes for a better result.

PLASTERBOARD

Always fill the joints between plasterboards and, after drying, roughen up the filler here and there and then apply a primer coat.

BRICK INTERIOR WALLS

Remove any nitrates and then apply a primer coat.

CEMENT WORK AND CONCRETE

Remove any nitrates and apply a primer coat.

BATHROOMS & KITCHENS

Always use a paint system that is suitable for damp walls, as well as one that is very easy to wash off.

PERMANENTLY DAMP WALLS

- There may be many underlying causes of this:
 - Rising damp
 - Leaks
 - Rainwater penetration
- For such walls, in the first instance, it is very important to tackle the cause and to fix this. Only then can finishing the walls begin.

OLD WALLPAPER

We advise against painting over old wallpaper because of possible bubble formation, and moreover, removal of the paper (after it has been painted) is also much more difficult.

PAINTING FIBREGLASS WALLPAPER

It covers cracks (and also reduces the formation of new cracks), strengthens the wall and gets rid of imperfections. For various rooms, fibreglass wallpaper can be a decorative and ideal solution. Paintable with most finishing products.






CHOOSING THE RIGHT PRODUCT

Durable protection and decoration of your interior project, that's what we aim for. With our product guide, you can finetune your choice depending on the substrate and the desired aesthetic result.

	Product	W/S	Appearance	Specific features
Preparation	Cachemire Beton Primer	Water	-	Bonding primer for use with Cachemire Beton
	Cachemire Sable Primer	Water	-	Impregnating primer for use with Cachemire Sable
	Paracem® Deco Primer	Water	-	Neutralises differences in the substrate
	Pegafix	Water	-	Impregnating primer for porous substrates
	Pegaflex	Water	-	Leveling filler
	Porisol	Water	-	Pore filler
	Elastofill®	Water	-	Acrylic sealant for interior use
	ElastoPro	Water	-	Acrylic sealant for interior and exterior use
Decorative techniques	Cachemire Beton	Water	-	Decorative plaster for the creation of a concrete look
	Cachemire Beton Finish	Water	-	Gel varnish for protection of Cachemire Beton
	Cachemire Metallic	Water	-	Metallic coloured paint
	Cachemire Metallic Finish	Water	-	Gel varnish with metallic particles
	Cachemire Sable	Water	M	Sand paint, structured
	Cachemire Sable Finish	Water	S-M	Protection varnish for Cachemire Sable
	Fair-Decor	Water	-	Additive for the extension of the drying time of the paint
Finish	Divalo	Water	S-M	Protection varnish
	Durbocem	Solvent	M	Paint for humid walls
	Fairtex	Water	M	Matt acrylic paint, very white
	Paracem® Deco Matt	Water	M	Matt high quality decorative paint
	Paracem® Deco Plafond	Water	M	Ideal for ceilings, long open time
	Paracem® Deco Ultra Clean Matt	Water	M	Washable interior wall paint with a matt finish
	Paracem® Deco Ultra Clean Xtra Matt	Water	M	Excellent washable, extra-matt interior paint
	Paracem® Deco Satin	Water	S	Satin gloss high quality decorative paint, washable
	Paracem® Deco Semi-Matt (Soft)	Water	S-M	Semi-Matt high quality decorative paint, washable
	Pegamat Aqua Isole	Water	M	Water-based renovation paint
	Pegamat RL	Water	M	Isolating paint, odour free, matt
	Pegatex	Water	M	Latex paint, matt

LEGEND

Appearance M = Matt, S-M = Semi-Matt, S = Satin, G = Gloss

-  Water based product (W)
-  Solvent based product (S)
-  European Ecolabel
-  With adapted primer
-  Tintable

Destination			Type of substrate							European Ecolabel	ColourShop®	Classe directive Grenelle	Wet abrasion resistance class (EN 13300)
Walls	Ceilings	Wood	Topcoats, plasters and derivatives	Old paintwork in good condition	Porous surfaces, inconsistent	Stains	Fiber, paintable wallpaper	Wood					
✓	✓		✓	✓					-	②	A+	-	
✓	✓		✓	✓	✓				-	②	A+	-	
✓	✓		✓	✓	✓		✓		-	-	A+	-	
✓	✓		✓	✓	✓				-	-	C	-	
✓	✓	✓	✓	✓	✓	✓		✓	-	-	C	-	
✓	✓	✓	●	✓	●	●	✓	✓	-	-	A+	-	
✓	✓	✓	●	✓	●	●	✓	✓	-	-	A+	-	
✓	✓		●	✓	●	●			-	②	A+	-	
✓	✓			✓					-	-	A+	-	
✓	✓		●	✓	●	●	●		-	②	A+	-	
✓	✓		✓	✓	✓	✓			-	-	A+	-	
✓	✓		●	✓	●	●			-	②	A+	-	
✓	✓		✓	✓	●	✓			-	②	A+	-	
✓	✓		✓	✓		✓	✓		-	-	A+	-	
✓	✓		●	✓	●	●	●		-	②	B	1	

SURFACE PREPARATION REPAIR PRODUCTS



ELASTOFILL® Acrylic sealant for interior use

- Forms a rubberlike mass with permanently high elasticity (> 900%) after evaporation of the water
- Alkali resistant
- Permanent high elasticity
- Absorbs strong expansions and deformations



310 ml



ELASTOPRO Elastic acrylic sealant of professional painter's quality

- Sealing and finishing of joints and cracks
- Quick recoatable
- For inside & outside use
- Excellent adhesion



310 ml



MUR-FILLER Elastic joint filler with quartz

- High filling power
- Filler for reparation of active and non-active cracks, can be used interior and exterior
- Elastic




310 ml



PEGAFLEX® Leveling filler

- High flexibility and elasticity - can be sanded easily
- Excellent adhesion on all sound substrates and paints
- Perfect alkali resistant
- Hardly absorbs the binder of the paints on top of it thus avoiding dry spots




1 kg - 5 kg



MULTI CLEANER Universal cleaning agent and degreaser

- Degreasing of surfaces - Non smelling - Non-foaming
- Inside and outside use
- Makes surfaces antistatic before painting
- Biologically degradable, user-friendly



1 l

PRIMERS

FIXING & ISOLATING




PARACEM® DECO PRIMER

Absorption neutralizing and good covering primer

- Reinforces the surface and minimises the absorption power
- Good filling and hiding power - good hiding characteristics
- Prevents gloss differences in the top coat
- Using in combination with Paint products of Paracem® Deco assortment



11-41-101



PEGAFIX UNIVERSAL

Colourless impregnating primer

- High fixing capacity
- Applicable on porous or chalking substrates



0.75 l - 4 l - 18 l



INTERIOR WALLS & CEILINGS



PORISOL®

Pore-filler

- Impregnating and isolating agent
- Fixing
- Nearly odorless



1 l - 5 l



EXTERIOR WALLS




CACHEMIRE SABLE PRIMER

Impregnating primer based on acrylic dispersions

- Bonding layer for Cachemire Sable on powdery or porous surfaces
- Prevents absorption of paints on porous substrates
- Good covering power
- Odourless



4 l



WOOD



CACHEMIRE BETON PRIMER

Adhesive primer with a fine granular structure

- Bonding layer for Cachemire Beton
- Good adhesion - very good coverage
- Nearly odourless, micro-porous, quick drying
- Can be tinted the same colour as the finish



5 kg



METALS, FLOORS & ROOFS

FINISHING WALLS & CEILINGS




PARACEM® DECO PLAFOND Super covering and extra matt acrylic ceiling paint

- Uniform matt finish, no tendency to overlap
- Exceptional high covering power (covers mostly in 1 layer)
- Delayed drying - enables to paint large surfaces
- Applicable on most mineral substrates




11-41-101



PARACEM® DECO MATT

High-quality matt interior wall paint

- Applicable on most substrates (plaster, bricks, concrete, etc.)
- Excellent flow
- High covering power - No tendency to overlap
- Good mechanical resistance against rubbing




11-2.51-41-101



PARACEM® DECO SEMI-MATT

High-quality semi-matt interior wall paint

- Applicable on most substrates (plaster, bricks, concrete, etc.)
- Excellent flow
- High covering power - No tendency to overlap
- Closed paint film - cleanable



11-41-101



PARACEM® DECO SATIN

High-quality satin gloss interior wall paint

- Applicable on most substrates (plaster, bricks, concrete, etc.)
- Excellent flow
- High covering power - no tendency to overlap
- Closed paint film - cleanable



11-41-101



PARACEM® DECO ULTRA CLEAN XTRA MATT

Excellent washable, extra-matt interior paint

- Excellent washability - Scrub resistance class 1
- Not glossy
- Limited writing effect in dark colors
- Good coverage
- Excellent flow



11-41-101



PARACEM® DECO ULTRA CLEAN MATT Washable matt interior wall paint

- Excellent cleanability
- Excellent mechanical resistance against rubbing
- Smooth matt aspect
- No tendency to overlap



11-41-101



PEGAMAT® RL ISOLE Low tension renovation and stain blocking paint

- Ideal for renovation of old damp stains
- Isolates stains from nicotine, smoke, old damp and sooth stains
- Tension free film - non yellowing - without laps (longer open time)
- Low odour



0.51-11-41-101



PEGATEX® Latex paint for interior and exterior

- Uniform matt aspect
- Cleanable
- Easy to apply
- High covering power



11-41-101



FAIR-DECOR Additive for waterborne paints

- Extends the drying time of waterborne paints
- Decorates interior walls in different colour effects



11-41



FAIRTEX® Matt acrylic dispersed paint for interior walls and ceilings

- Smooth and completely splash-free roller application
- Uniform matt finish without turning - high whiteness degree
- Covers in 2 coats on porous and non porous substrates
- Odourless




41-101-201



DIVALO Protective varnish for interior wall paints

- Non yellowing
- Smooth satin views
- Washable
- High mechanical resistance



0.751-41



PEGAMAT® AQUA ISOLE Water based renovation paint

- Ideal for ceilings
- Isolates stains from nicotine, smoke, old damp and sooth stains
- Tension free film - non yellowing - without laps (longer open time)



41-101



DURBOCEM® Paint based on plasticized acrylic resins

- Builds a strong bond with cement-based substrates
- Extremely suitable to be applied on damp substrates
- Can be applied on chalking substrates
- Can be recoated with Paracem®





11-51-101




CACHEMIRE SABLE BASE
Matt interior wall paint with fine sand structure

- Velvety matt interior wall paint with fine sand structure
- Creates a decorative sand effect
- Hides imperfections and reflections
- No tendency to overlap




CACHEMIRE METALLIC
Water-based Metallic paint

- A bright, warm and glossy finish
- Ideal for small surfaces, feature wall or accessories
- Available in Antique Gold - Silver - Bronze
- Provides a nice metallic effect



CACHEMIRE SABLE FINISH
Waterborne acrylic varnish

- Ideal finish for interior paints and decorative techniques
- High mechanical resistance
- Makes the base paint cleanable and scratch free
- Odourless





CACHEMIRE METALLIC FINISH
Acrylic gel varnish

- Reflects the light and immediately provides a rich gloss metallic finish
- Making the surface antistatic and cleanable
- Transparent with metal / aluminium particles - easy to apply
- Nearly odourless



CACHEMIRE BETON BASE
Decorative plaster for creating a concrete look for interiors

- No splashes
- Very good coverage
- Nearly odourless - easy to sand
- Fast-acting



CACHEMIRE BETON FINISH
Acrylic gel varnish

- Finish for indoor paints and decorative techniques
- Making the surface antistatic and cleanable
- Transparent, uniform aspect, non-yellowing
- Washable



CLEANING BRUSH CLEANER




PEGAMAT® RL ISOLE AE Low tension renovation and stain blocking paint

- Permanent blocking of returning nicotine, soot and rust stains, graffiti and water stains
- For interior walls & ceilings
- Can be applied on plaster, cement, wood, concrete, wallpaper and isolation walls



0.5 l




BRUSH CLEANER Renews & restores used and hardened brushes

- Fast acting
- Contains powerful detergents
- Effective on : Shellac, Water & Solvent Based Varnishes and Lacquers, Enamel (Alkyd) Gloss Paints, Water Based Acrylic and Vinyl Paints



1 l



Quality - Reliability - Guarantee

EXTERIOR WALLS

Durable protection and beautifying

The facade is the public face of a home or other building. But a facade is subjected to numerous internal and external influences: sun, wind, moisture, construction faults... The possible consequences are often hard to estimate: cracking, rising damp, rusting concrete reinforcement, loose plastering, moss, mould, algae, ...

Durable protection and regular maintenance of your facade are of vital importance in preventing problems. Mathys® therefore offers an extensive range of paints and coatings that protect and beautify your facade.

Years of experience translated into expertise

For more than four decades, Mathys® has been developing effective, contemporary solutions for protecting, renovating and decorating facades. Mathys® distinguishes itself through its expertise and unparalleled quality and has evolved worldwide into the first port of call for facade protection and decoration. Mathys®. Your partner for protecting and beautifying new and renovated facades.

For an optimal, durable solution. Guaranteed.

*This product catalog is an overview of the entire assortment of decorative products.
Not all listed items are available in all countries.*

PREPARATION

PEGAFLEX®	26
MUR-FILLER	27
ELASTOPRO	27
MULTI CLEANER	27

PRIMERS

PEGAPRIM EXTERIOR	28
PARASIL COMPACT	29
PEGAFIX UNIVERSAL	29
FIXONAL	29

FINISHING

MURFILL® WATERPROOFING COATING	30
MURFILL® QUARTZ	31
MURFILL® RP SILOXAN NF	31
MURFILL® FLEECE WOVEN	31
MURFILL® FLEECE NON WOVEN	31
PARACEM® UNIVERSAL	32
MURFILL® RENOVATION PAINT	33
MURFILL® RP SILOXAN NF	33
PARASIL	33
PARACEM® SEMI-MATT	33
PARACEM® SEMI-GLOSS	34
PARACEM® QUARTZ	34
DURBOCEM®	34
PEGAGRAFF® HYDRO	35
PEGAGRAFF® CLEANER	35

SURFACE PREPARATION

FILLING UP & SANDING

PEGAFLEX® Leveling filler

- High flexibility and elasticity - can be sanded easily
- Excellent adhesion on all sound substrates and paints
- Alkali resistant
- Hardly absorbs the binder of paints on top of it thus avoiding dry spots



1 kg - 5 kg



MUR-FILLER Elastic joint filler with quartz

- High filling power
- Filler for reparation of active and non-active cracks, can be used interior and exterior
- Elastic



310 ml



ELASTOPRO Elastic acrylic sealant of professional painter's quality

- Sealing and finishing of joints and cracks
- Quick recoatable
- For inside & outside use
- Excellent adhesion



310 ml



MULTI CLEANER Universal cleaning agent and degreaser

- Degreasing of surfaces - Non smelling - Non-foaming
- Inside and outside use
- Makes surfaces antistatic before painting
- Biologically degradable, user-friendly



1 l

PRIMERS

COVERING & IMPREGNATING

PEGAPRIM EXTERIOR

Tintable opaque primer, based on acrylic resins

- Strengthens the surface and reduces absorption
- Makes the surface uniform in terms of colour and absorption
- Very good hiding characteristics
- Improves the adhesion of the topcoat



5 l - 15 l



PARASIL COMPACT

High build priming and intermediate coat based on acrylic and polysiloxane resins

- Very thick coat with high covering power (application in 1 or 2 coats)
- Levels out partial roughness in structured substrates
- Elastic film - exceptional weather resistance - water vapour permeable
- To recoat with 1 or 2 coats of Parasil®



15 l



PEGAFIX UNIVERSAL

Colourless impregnating primer

- High fixing capacity
- Applicable on porous or chalking substrates



0.75 l - 4 l - 18 l



FIXONAL

Colourless fixing agent

- Fixing and reinforcing
- Resistant to alkalinity - to strengthen all porous or chalking substrates
- Quick drying
- Flexible



1 l - 5 l

FINISHING

WATERPROOFING SYSTEMS



MURFILL® WATERPROOFING COATING

Long lasting elastic, aesthetic and waterproof wall protection

- Elastic - waterproof and water vapour permeable
- Excellent resistance against ageing in normal and industrial environment
- Protects reinforced concrete against carbonisation and corrosion
- Can be combined with Murfill® fleece for additional mechanical reinforcement and for bridging of (active) cracks



1 kg - 6 kg - 15 kg



MURFILL® QUARTZ

Facade protection with quartz texture

- Excellent resistance against ageing in normal and industrial environment
- Waterproof and water vapour permeable - elastic
- Protects steel reinforced concrete against carbonization and corrosion
- With structure effects




6 kg - 15 kg



MURFILL® RP SILOXAN NF

Elastic acrylic poly-siloxane renovation paint

- Excellent resistance against ageing and pollution
- Self-cleaning pearl effect - water repellent - water vapour permeable
- High covering power
- Elastic



5 kg - 20 kg

MURFILL® FLEECE WOVEN

Polyamide fibres woven in block meshes

- Reinforcement of the Murfill® waterproofing system
- 16 cm / 100 m or 100 cm / 100 m

MURFILL® FLEECE NON WOVEN

Polyester fibres

- Reinforcement of the Murfill® waterproofing system
- 16 cm / 100 m or 100 cm / 100 m



FINISHING DECORATION & PROTECTION

PARACEM® UNIVERSAL

Excellent covering universal paint for all outside work

- Usable on all surfaces, such as bricks, gutters, wood, aluminium, etc.
- Colour and weatherproof for long-term protection
- Protection of the dried coat against contamination by mould
- Primer and finishing coat in one



11-41-101



MURFILL® RENOVATION PAINT

Elastic decorative renovation paint

- > 500% elastic - lasting elasticity till -30°C
- Water vapour permeable
- Excellent resistance against contamination
- Can be combined with Murfill®-Fleece for bridging of (active) cracks



1 kg - 6 kg - 15 kg



MURFILL® RP SILOXAN NF

Elastic acrylic poly-siloxane renovation paint

- Excellent resistance against ageing and pollution
- Self-cleaning pearl effect - water repellent - water vapour permeable
- High covering power
- Elastic



5 kg - 20 kg



PARASIL

High build matt wall paint with siloxane

- Covers and levels out irregularities and edges partially
- High covering power - high build
- Low odour - micro porous
- Dirt and water repellent - water vapour permeable
- Self-cleaning pearl effect



51-151



PARACEM® SEMI-MATT

Acrylic wall paint with high covering power

- Particularly high covering capacity
- Perfect saponification resistance
- Sufficiently breathing - excellent weather resistance
- For outside and inside use



0.751-11-41-101-201

INTERIOR WALLS & CEILINGS

EXTERIOR WALLS

WOOD

METALS, FLOORS & ROOFS




PARACEM® SEMI-GLOSS
Semi-gloss acrylic wall paint with high covering power

- Particularly high covering capacity
- Gloss stability
- High durability
- Unsaponifiable



PARACEM® QUARTZ
Acrylic exterior wall paint with quartz structure

- Contains quartz and gives a textured look according to the used tools
- Perfect saponification resistance
- High durability - excellent weather resistance



DURBOCEM®
Paint based on plasticized acrylic resins

- Builds a strong bond with cement-based substrates
- Extremely suitable to be applied on damp substrates
- Can be applied on chalking substrates
- Can be recoated with Paracem®



PROTECTION ANTI-GRAFFITI

PEGAGRAFF® HYDRO
Colourless anti-graffiti varnish - two-component


- Excellent flow
- Solvent resistant thus allowing easy removal of graffiti
- Acid resistant, alkali resistant
- Water vapour permeable - good UV resistance
- High scratch resistant



2.51-51

PEGAGRAFF® CLEANER
Liquid graffiti remover

- Excellent and fast working - no colour
- Mild odour
- Ideal for closed rooms
- For underground and surfaces treated with Pegagraff® Hydro



0.51-51

Lacquers - Stains - Varnishes

WOOD

The Mathys® range of wood preservative products offers superior protection and maximum durability for all your wood projects.

The day that a wood project is installed is the day that problems can begin. Morning mist, rain, melting ice and snow are quickly absorbed by untreated wood. This makes the wood softer and makes it swell. Direct exposure to the sun causes it to dry out again and then the wood shrinks.

Continuous cycles of wet, dry, swelling and shrinking make the wood warp, burst and crack. This leads to premature wood deterioration and costly repairs. Unprotected wood also ages due to constant exposure to UV rays. Persistent damp provides a perfect environment for the growth of mould, algae and other organisms that attack wood. Termites and other wood insects use wood as a food source, resulting in rot and decay.

Choose the right product

Wood is natural, warm and authentic. It is decorative and stylish. It is a precious and resistant material. Durable protection and decoration for your wood project: that is our goal.

*This product catalog is an overview of the entire assortment of decorative products.
Not all listed items are available in all countries.*

PREPARATION

PLASTOPAN SUPER N	42
MULTI CLEANER	43

FINISH

FASSIPRIM®	44
FASSIPRIM® AQUA XPE	45
FASSICRYL PRIMER	45
FASSICRYL SEALING PRIMER	45
FASSIFORCE	45
PEGALINK®	46
PORISOL	46

FINISHING

FASSICRYL MATT SPRAY	48
FASSICRYL SATIN SPRAY	49
FASSICRYL MATT	49
FASSICRYL SATIN	49
FASSILUX® SATIN	49
FASSILUX® SATIN PU	50
FASSILUX® GLOSS	50
FASSILUX® AQUA XPE MATT	50
FASSILUX® AQUA XPE SATIN	50
FASSILUX® AQUA XPE GLOSS	51
FASSICOAT	51
PEGACRYL® SATIN	51
FASSITEK® AQUA OPAQUE	53
FASSITEK®	54
FASSITEK® THIXO	54
PLASTI-PARKET	56
FASSITHANE GLOSS	57
FASSITHANE SATIN	57
FASSITHANE MATT	57

	Type	Product	W/S	Appearance	Ins./Outs.	Wood Type			
						Resinous	Deciduous	Oak - Chestnut	Exotic woods
Pretreatment / Primers	Pretreatment	Plastopan Super N	☒	M	🏠	✓	✓	✓	✓
		Multi Cleaner	💧	-	🏠	✓	✓	✓	✓
	Primers	Fassiprim®	☒	S	🏠	✓	✓	✓	●
		Fassiprim® Aqua XPE	💧	S	🏠	☀	✓		⊕
		Fassicryl Primer	💧	M	🏠		✓	✓	✓
		Fassicryl Sealing Primer	💧	M	🏠	✓	✓	✓	✓
		Pegalink	💧	S	🏠	✓	✓	✓	✓
		Fassiforce	☒	-	🏠	✓	✓	✓	✓
		Porisol	💧	-	🏠	✓	✓	✓	✓
Opaque wood finish	Laquers	Fassicryl Matt Spray	💧	M	🏠	○	✓	✓	✓
		Fassicryl Satin Spray	💧	S	🏠	○	✓	✓	✓
		Fassicryl Matt	💧	M	🏠	○	✓	✓	✓
		Fassicryl Satin	💧	S	🏠	○	✓	✓	✓
		Fassilux® Satin PU	☒	S	🏠	○	✓	✓	✓
		Fassilux® Gloss	☒	G	🏠	✓	✓	✓	●
		Fassilux® Satin	☒	S	🏠	✓	✓	✓	●
		Fassilux® Aqua XPE Matt	💧	M	🏠	✓	✓	○	⊕
		Fassilux® Aqua XPE Gloss	💧	G	🏠	✓	✓	○	⊕
		Fassilux® Aqua XPE Satin	💧	S	🏠	✓	✓	○	⊕
		Pegacryl Satin	💧	S	🏠	✓	✓	○	⊕
		Fassicoat	☒	S	🏠	✓	✓	✓	●
	Opaque stains	Fassitek® Aqua Opaque	💧	S	🏠	✓	✓	○	⊕

Features Product							
Binder	Application	Coverage	Filling capacity	Durability	Standard colours	ColourShop®	Classe directive Grenelle
-	*	**	***	***			C
-	***						C
Alkyd	**	**	*	***	✓	②	A+
Acrylat	***	**	**	**	✓	②	A+
Acrylat & PU - Alkyd	***	***	***	**		②	A+
Acrylic	***	***	***	*		②	B
Acrylic	***	***	**	**		②	C
Phenolic resins	***			***			-
Vinyl	*		*	**			C
PU - Acrylat	***	***	***	**		②	A+
PU - Acrylat	***	***	***	**		②	A+
PU - Acrylat	**	**	**	**		②	A+
PU - Acrylat	**	**	**	**		②	A+
PU - Alkyd	***	***	**	**		②	A+
Alkyd	**	*	*	**	✓	②	A+
Alkyd	**	*	*	**	✓	②	A+
PU - Alkyd	***	***	*	**	✓	②	A+
PU - Alkyd	**	*	*	**	✓	②	A+
PU - Alkyd	**	**	*	**	✓	②	A+
Acrylic	*	*	**	***	✓	②	A+
Alkyd	***	***	**	***	✓	②	A+
Acrylic	***	***	*	**	✓	②	-

LEGENDE

Appearance M = Matt, S-M = Semi-Matt, S = Satin, G = Gloss

💧 Water based product (W)

☒ Solvent based product (S)

🏠 Inside use

🏠 Outside use

🏠 In- & outside use

● Except on wood with antioxidant efflorescence (ex. iroko)

⊕ Except on wood containing oils

☀ Except on wood with acidic resins (ex. western red cedar)

○ On a modified primer

② Tintable

* Good

** Very good

*** Excellent

Type	Product	W/S	Appearance	Ins./Outs.	Wood Type			
					Resinous	Deciduous	Oak - Chestnut	Exotic woods
Transparant Stains	Fassitek®		S-M		✓	✓	✓	●
	Fassitek® Thixo		S-M		✓	✓	✓	●
Varnish	Fassithane Gloss		G		✓	✓	✓	●
	Fassithane Satin		S		✓	✓	✓	●
	Fassithane Matt		M		✓	✓	✓	●
	Plasti-Parket		S-M		✓	✓	✓	●

Features Product							
Binder	Application	Coverage	Filling capacity	Durability	Standard colours	ColourShop®	Classe directive Grenelle
Alkyd	**			***	✓		A+
Alkyd	**		**	***	✓		A+
PU - Alkyd	*			**			A+
PU - Alkyd	*			**			A+
PU - Alkyd	*			*			A+
PU - Alkyd	*			***			C

LEGENDE

Appearance M = Matt, S-M = Semi-Matt, S = Satin, G = Gloss

Water based product (W)

Solvent based product (S)

Inside use

Outside use

In- & outside use

● Except on wood with antioxidant efflorescence (ex. iroko)

⊕ Except on wood containing oils

☀ Except on wood with acidic resins (ex. western red cedar)

○ On a modified primer

Tintable

* Good

** Very good


*** Excellent

SURFACE PREPARATION

FILLING UP & SANDING

PLASTOPAN SUPER N Putty for levelling irregularities in wood

- Quick drying
- Excellent filling power
- Doesn't contain water soluble ingredients
- Does not absorb applied paint



1 kg - 5 kg



MULTI CLEANER Universal cleaning agent and degreaser

- Degreasing of surfaces - Non smelling - Non-foaming
- Inside and outside use
- Makes surfaces antistatic before painting
- Biologically degradable, user-friendly



PRIMERS

EXCELLENT ADHESION

- FASSIPRIM®**
Solvent based primer
- Excellent flow and adhesion on wood
 - Moisture power regulating
 - High covering - quick drying
 - Easy to sand finely - very weather resistant




0.5l-1l-2.5l-4l



FASSIPRIM® AQUA XPE
Moisture regulating primer

- Excellent adhesion and flow - good coverage
- Quick drying - can be sanded quickly
- Easy to apply
- Matt acrylic




1l-2.5l

INTERIOR WALLS & CEILINGS



FASSICRYL PRIMER
Water-based primer

- Excellent adhesion
- Perfect flow viscosity
- Good coverage
- Easy to apply




1l-2.5l

EXTERIOR WALLS



FASSICRYL SEALING PRIMER
Water-based insulating primer

- Insulating primer
- Covers bleeding knots and resin streaks
- Excellent adhesion




1l-2.5l

WOOD



FASSIFORCE
Wood impregnation

- Strengthens the wood structure
- Improves adhesion of paint
- Strengthens untreated or stripped wood
- Durably protects wood



1l-5l

METALS, FLOORS & ROOFS




PEGALINK® Universal adhesion primer

- Excellent adhesion on a lot of surfaces - also smooth
- Flexible
- Excellent flow
- UV-resistant



PORISOL® Pore filler


- Impregnating and insulating agents
- fixative
- Low odor



NEED TECHNICAL INFORMATION?

WWW.MATHYSPAINTS.EU

On the website you will find all our assortments and products.
References, technical data sheets, points of sale ...
You can find it all on www.mathyspaints.eu.



OPAQUE WOOD FINISH LACQUERS



FASSICRYL MATT SPRAY Sprayable water-based scratch-resistant matt lacquer

- Sprayable (airless and airmix)
- High film-thickness, covers in one coat
- Even finish
- Skin grease-resistant



2.5 l



FASSICRYL SATIN SPRAY Sprayable water-based scratch-resistant silky gloss lacquer

- Sprayable (airless and airmix)
- High film-thickness, covers in one coat
- Even finish
- Skin grease-resistant




2.5 l



FASSICRYL MATT Water-based scratch-resistant matt lacquer

- Skin grease-resistant
- Scratch-resistant and easy to clean
- Excellent flow viscosity
- Good colour and gloss retention




1 l - 2.5 l



FASSICRYL SATIN Water-based scratch-resistant silky gloss lacquer

- Skin grease-resistant
- Scratch-resistant and easy to clean
- Excellent flow viscosity
- Good colour and gloss retention




1 l - 2.5 l



FASSILUX® SATIN Solvent based satin gloss enamel

- Good coverage - excellent flow - good edge coverage
- Quick drying - even gloss finish - simple and fast application
- Good outdoor durability, weatherproof
- Excellent scratch and wear resistance



1 l - 2.5 l - 10 l

INTERIOR WALLS & CEILING

EXTERIOR WALLS


WOOD

METALS, FLOORS & ROOFS



FASSILUX® SATIN PU
Solvent based satin gloss enamel

- Highly abrasion and scratch resistant
- Based on alkyd urethane resins
- High gain - excellent coverage
- Simple and fast application



0.5 l - 1 l - 2.5 l



FASSILUX® AQUA XPE GLOSS
Waterbased high gloss topcoat

- Can be used on wood and well prepared surfaces as steel, plastic, etc.
- Good adherence and hiding power - quick drying
- Superior scratch resistance
- Stable gloss - low in odour and VOC - good elasticity




1 l - 2.5 l



FASSILUX® GLOSS
Solvent based high gloss enamel

- Good coverage - excellent flow - good edge coverage
- Quick drying - even gloss finish - simple and fast application
- Good outdoor durability, weatherproof
- Excellent scratch and wear resistance




1 l - 2.5 l



FASSICOAT
Single paint system, satin gloss

- Serves at the same time as primer, surfacer and finish
- Moisture-regulating paint
- Excellent weather resistance




0.75 l - 1 l - 2.5 l - 20 l



FASSILUX® AQUA XPE MATT
Waterbased matt enamel

- Specially designed for interior use - low in odour and VOC
- Good coverage and adherence - quick drying
- Superior scratch resistance
- Stable gloss



1 l - 2.5 l



PEGACRYL® SATIN
Waterbased satin gloss acrylic lacquer

- Excellent satin gloss finish during outside exposition
- Excellent flow
- UV resistance
- Excellent coverage and scratch resistance




0.75 l - 2.5 l



FASSILUX® AQUA XPE SATIN
Waterbased satin gloss enamel

- Can be used on wood and well prepared surfaces as steel, plastic, etc.
- Good adherence and hiding power - quick drying
- Superior scratch resistance
- Stable gloss - low in odour and VOC - good elasticity



1 l - 2.5 l

DO YOU ALREADY
KNOW OUR
FASSICRYL RANGE?

**TIMELESS FINISH IN
'NO TIME'**



**THE FASSICRYL RANGE:
TOP-QUALITY WATER-BASED LACQUERS!**

Mathys® is expanding its range of products for wood with the addition of water-based, polyurethane-acrylic lacquers. This polyurethane-acrylic finishing layer forms a hard film after drying. The advantage of these types of lacquer is that they are resistant to the oils on the skin as well as being scratch-resistant and easy to clean. For an even faster and tidier finish, we have also developed two sprayable lacquers, available in satin and matt finishes! The sprayable lacquers may also be applied with a brush for touch-ups.

Discover the products on pages 45, 48 and 49.



OPAQUE WOOD FINISH STAINS



FASSITEK® AQUA OPAQUE Wood stain, satin gloss

- Can be used as a primer or as a finishing layer
- Flexible system - damp regulating - waterproof
- Is resistant to dirt - good outdoor durability, weatherproof
- Excellent coverage and flow - quick drying



1 l - 2.5 l



TRANSPARENT WOOD FINISH STAINS

FASSITEK® Transparent wood stain

- Transparent and light-stable
- Penetrates for deep protection - non film-forming
- Enhances the wood structure - microporous - allows the wood to breathe
- Excellent outdoor durability - good protection against UV rays



1 l - 2.5 l - 10 l

FASSITEK® THIXO Transparent thixotropic wood stain

- Transparent and light-stable - thixotropic alkyd resins
- Penetrates for deep protection - non film-forming
- Enhances the wood structure - microporous - allows the wood to breathe
- Excellent outdoor durability - good protection against UV rays
- Thixotropic, ideal for ceilings and vertical surfaces




1 l - 2.5 l

MATHYS® WOOD TIPS

The colours on this card have been applied to light ash. The final colour depends on the colour of the wood and the number of applied layers of stain. The transparent base is not suitable for outdoor use. For good UV resistance, we recommend to paint the colorless shade with a wood shade.

Fassitek: obtain **deco tones** from the transparent base - reduced outdoor durability.

	Tone	Fassitek	Fassitek Thixo
2	Light Oak	✓	✓
3	Middle Oak	✓	✓
4	Dark Oak	✓	✓
5	Old Oak	✓	✓
6	Walnut	✓	✓
7	Ebony	✓	✓
9	Exotic wood	✓	
10	Pine green	✓	
11	Naturel Oak	✓	✓
12	Golden Oak	✓	✓
16	Teak	✓	
17	Palissander	✓	
18	Mahogany New	✓	
19	Cedar	✓	
20	Beech	✓	



For typographical reasons there may be color differences between the colors on this page and the actual color of the samples.


TRANSPARENT WOOD FINISH VARNISH

PLASTI-PARKET Protection for parquet floors and wooden stairs

- Simple to use
- Excellent resistance against abrasion
- Air-drying - easy in maintenance
- Suitable for spot repairs



11-2.51



FASSITHANE GLOSS Gloss wood varnish

- Quick drying - does not yellow
- Scratch and wear resistant
- No tendency to wrinkle when applying thick layers
- Excellent durability for outdoor use




11-2.51



FASSITHANE SATIN Satin gloss wood varnish

- Quick drying - does not yellow
- Scratch and wear resistant
- No tendency to wrinkle when applying thick layers
- Excellent durability for outdoor use



11-2.51



FASSITHANE MATT Matt wood varnish

- Quick drying - does not yellow
- Scratch and wear resistant
- No tendency to wrinkle when applying thick layers
- For indoor use - easy to clean



11-2.51

Specialisation - Quality - Sustainable

METALS - ROOFS - FLOORS

Mathys® and Rust-Oleum® Industrial offer you a full range for metal protection, floor protection and roof protection. We have a solution for every situation. Benefit from our expertise and experience. We offer free technical inspection and customized advice.

Download your catalog for FREE!
www.rust-oleum.eu

PRIMERS

PARAFIX 58

FINISHING

VERNAC GLOSS & SATIN 60

PEGALINK® 61

PARACEM® UNIVERSAL 61

Find our other products for all metal surfaces, floors and roofs in the Rust-Oleum catalogs.



PARAFIX Fixating and impregnating primer

- Special impregnating primer for roofing and bituminous products
- Milky liquid which becomes colourless after drying
- Prevents the absorption of waterborne paints on porous substrates



0.75 l - 4 l - 18 l



DECORATIVE FINISH NON-FERROUS METALS



VERNAC GLOSS & SATIN Acrylic varnish for protection and decoration of non-ferrous metals

- Completely colourless and transparent
- High weather resistance
- Alkaliresistant - excellent flexibility
- Non-yellowing



11-2.51-201



PEGALINK® Universal adhesion primer

- Excellent adhesion on a lot of surfaces - also smooth
- Flexible
- Excellent flow
- UV-resistant



11-2.51



PARACEM® UNIVERSAL Excellent covering universal paint for all outside work

- Usable on all surfaces, such as bricks, gutters, wood, aluminium, etc.
- Colour and weatherproof for long-term protection
- Protection of the dried coat against contamination by mould
- Primer and finishing coat in one



11-41-101

Imagine - Paint - Create!

COLOUR



COLOUR-MIXING

Our **ColourShop®** colour-mixing machine offers fast and accurate colour service. Visit www.mathyspaints.eu to find the distributor nearest to you.



The benefits for you:

- Special colours available, prepared while you wait
- RAL, NCS, British Standard, AFNOR, etc.
- Water-based products, with or without solvents
- Quick response to customer-specific colour requests
- Professional technical support
- Accurate and reproducible colours

IMAGINE™

More than 1200 contemporary and traditional colours for indoor and outdoor use.

FACADE

A selection of more than 400 colours for the exterior wall range of Mathys®.

COLORIST

297 colours, 33 colour groups. Around 33 natural basic colours are each 3 secondary and 5 detail colours grouped.


CACHEMIRE®

The Cachemire range is a palette of 120 colours carefully composed by experienced colour specialists.



INDEX

BRUSH CLEANER	23	PARACEM® DECO ULTRA CLEAN MATT	18
CACHEMIRE BETON BASE	20	PARACEM® DECO ULTRA CLEAN XTRA MATT	17
CACHEMIRE BETON FINISH	20	PARACEM® QUARTZ	34
CACHEMIRE BETON PRIMER	15	PARACEM® SEMI-GLOSS	34
CACHEMIRE METALLIC	21	PARACEM® SEMI-MATT	33
CACHEMIRE METALLIC FINISH	21	PARACEM® UNIVERSAL	32, 61
CACHEMIRE SABLE BASE	20	PARAFIX	58
CACHEMIRE SABLE FINISH	20	PARASIL	33
CACHEMIRE SABLE PRIMER	15	PARASIL COMPACT	29
DIVALO	19	PEGACRYL® SATIN	51
DURBOCEM®	19, 34	PEGAFIX UNIVERSAL	15, 29
ELASTOFILL®	12	PEGAFLEX®	13, 26
ELASTOPRO	13, 27	PEGAGRAFF® CLEANER	35
FAIR-DECOR	19	PEGAGRAFF® HYDRO	35
FAIRTEX®	18	PEGALINK®	46, 61
FASSICOAT	51	PEGAMAT® AQUA ISOLE	18
FASSICRYL MATT	49	PEGAMAT® RL ISOLE	19
FASSICRYL MATT SPRAY	48	PEGAMAT® RL ISOLE AE	22
FASSICRYL PRIMER	45	PEGAPRIM EXTERIOR	28
FASSICRYL SATIN	49	PEGATEX®	18
FASSICRYL SATIN SPRAY	49	PLASTI-PARKET	56
FASSICRYL SEALING PRIMER	45	PLASTOPAN SUPER N	42
FASSIFORCE	45	PORISOL®	15, 46
FASSILUX® AQUA XPE GLOSS	51	VERNAC GLOSS & SATIN	60
FASSILUX® AQUA XPE MATT	50		
FASSILUX® AQUA XPE SATIN	50		
FASSILUX® GLOSS	50		
FASSILUX® SATIN	49		
FASSILUX® SATIN PU	50		
FASSIPRIM®	44		
FASSIPRIM® AQUA XPE	45		
FASSITEK®	54		
FASSITEK® AQUA OPAQUE	53		
FASSITHANE THIXO	54		
FASSITHANE GLOSS	57		
FASSITHANE MATT	57		
FASSITHANE SATIN	57		
FIXONAL	29		
MULTI CLEANER	13, 27, 43		
MUR-FILLER	13, 27		
MURFILL® QUARTZ	31		
MURFILL® RENOVATION PAINT	33		
MURFILL® RP SILOXAN NF	31, 33		
MURFILL® FLEECE NON WOVEN	31		
MURFILL® FLEECE WOVEN	31		
MURFILL® WATERPROOFING COATING	30		
PARACEM® DECO MATT	17		
PARACEM® DECO PLAFOND	16		
PARACEM® DECO PRIMER	14		
PARACEM® DECO SATIN	17		
PARACEM® DECO SEMI-MATT	17		



VIEW OUR REFERENCES
WWW.MATHYSPAINTS.EU

a **RUST-OLEUM**® brand

RUST-OLEUM EUROPE - MARTIN MATHYS N.V./S.A.

Kolenbergstraat 23 - 3545 Zelem - Belgium
Tel. +32 (0)13 460 200 - Fax +32 (0)13 460 201